"Laukik", 870, Bhandarkar Road, Pune 411 004, India, Tel: +91 20 2567 5530/6107 email: sales@danidatasystems.com, website: www.danidatasystems.com



Introduction to Guard Tour Monitoring Systems



Guard Tour Monitoring Is not just keeping Guards awake

But to

- 1. Inspect the patrol/ inspection points
- 2. Check for any abnormalities
- 3. Report these abnormalities
- 4. Alert emergencies to appropriate heads for immediate action by SMS
- 5. Send an SOS if needs help
- 6. Monitor, report and document
- 7. Events/ abnormalities are customized as per the organization's needs.



USB Interface P/N GTR 140609 **GPRS** Interface P/N GTR 150617





DANI DATA SYSTEMS (I) Pvt. Ltd "Laukik", 870, Bhandarkar Road, Pune 411 004, India, Tel: +91 20 2567 5530/6107

"Laukik", 870, Bhandarkar Road, Pune 411 004, India, Tel: +91 20 2567 5530/6107 email: <u>sales@danidatasystems.com</u>, website: www.danidatasystems.com



What is Guard Tour Monitoring System (GTMS)

A **guard tour monitoring system** (**GTMS**) is a system for logging the rounds of employees in a variety of situations such as security guards patrolling property, checking prisoner living areas, technicians monitoring equipment, climate-controlled environments, and police patrol.

It helps ensure that the employee makes his or her appointed rounds at the correct intervals and can offer a record for maintenance, housekeeping and legal or insurance reasons.

Such systems have existed for many years but the modern systems are based on handheld data loggers with RFID sensors and connectivity to cloud.

The system provides a means to record the time when the employee reaches certain points on their tour. 'Tour Stations' or 'Checkpoints' are commonly placed on the tour route and at critical points such as vaults, machines, wall, trees and vital equipment, and access points.

Some systems are set so that the interval between stations is timed so if the employee fails to reach each point within a set time, or does not start the specially during night hours, the guard or employee automatically receives a wakeup call on their mobile or other staff are dispatched to ensure the employee's well-being.


How DDS (GTMS) works

DDS (GTMS) modern set-up works as follows:


The guard/ employee carries a portable reader which is activated at each 'Tour Station'.

The portable reader stores the location with the date and time. A custom defined menu pops up for the guard/ employee to select common event that need to be reported. The location data and the reporting data is transmitted to cloud server for appropriate action by superiors.

The low cost version of DDS GTMS transfers data to local computer through USB cable at end of each tour.



Locate Inspection Points



Fix Tour Station IDs at Inspection Points



Guard Records Tour on reaching Inspection Points




"Laukik", 870, Bhandarkar Road, Pune 411 004, India, Tel: +91 20 2567 5530/6107 email: <u>sales@danidatasystems.com</u>, website: www.danidatasystems.com



March 31,2024

Our Presence



CIN - U31909 PN2003 PTC01 7985

"Laukik", 870, Bhandarkar Road, Pune 411 004, India, Tel: +91 20 2567 5530/6107 email: <u>sales@danidatasystems.com</u>, website: www.danidatasystems.com



January 31, 2019

List of Important Customers State wise

<u>Maharashtra</u>

Punchshill Reality **Bharat Electronics** National Institute of Virology National Institute of Virology Reserve Bank of India Klaus Multiparking Godrej Lawkim DSK Vishwa Vascon Engg. Kubera Bahar Housing Society Flama Automation Forest Trail Co-operative Society Sobha Carnation Sunita Security Nabar Communication Scanin System Rachale Enggineering Nivedita Garden Radiant Facility Flamma Automation Rachale Engg. Nabar Communication Pushpam Food and Beverages Scanin Systems Athashri Society Hotel Ashwin **Bharat Electronics Bharat Electronics** BASF STS-BASF (Ankaleshwar) **Eurafic Pharma UTL** Warehouse Pooja Traders Deluxe Entertainment Services Pvt. Ltd. Sterling Lead Pvt. Ltd. **Royal Castle Society** Asian Intelligence Security Services Paithan Mega Food Park Pvt. Ltd. Liebherr Appliances (India) Pvt. Ltd. Gold Coast Housing Society

Pune Pune Ambedkar Road, Pune Pashan, Pune Pune Shirwal, Pune Shirwal, Pune Pune Pune Pune Chinchwad, Pune Bhugaon, Pune Pune Pune Pune Pune Pune Pune Pune Chinchwad, Pune Pune Pune Pune Pimpri, Pune Pune Nashik Pune Taloja, Navi Mumbai Turbhe, Mumbai Kandivali, Mumbai Ambarnath East, Mumbai Bhiwandi, Thane Bhiwandi, Thane Kharadi, Pune Kagal, Kolhapur Thergaon, Pune Ambarnath, Thane Aurangabad Aurangabad Baner. Pune

"Laukik", 870, Bhandarkar Road, Pune 411 004, India, Tel: +91 20 2567 5530/6107 email: sales@danidatasystems.com, website: www.danidatasystems.com



<u>Gujarat</u>

Industrial Technology Jubilant Infrastructure Ltd Kaizen System KRISHAK BHARATI BASF Gujrat Ambuja Expo Ahmedabad Textiles Guardian Security Sajjan India Industrial Technologies Krishak Bharati Indian Oil Corp. Ltd. Industrial Jewels Pvt. Ltd.

Bhavnagar, Gujarat Gujarat Gujarat Surat, Gujarat Ankaleshwar, Gujrat Ahmedabad, Gujrat Ahmedabad, Gujrat Bharuch, Gujrat Bharuch, Gujrat Bhavnagar, Gujrat Surat, Gujrat Hazira, Surat Bhavnagar

Uttarakhand

Gujrat Ambuja Expo

Sitarganj, Uttarakhand

Uttar Pradesh

Kiwi Commodities Pvt. Ltd.

<u>Panjab</u>

Igen Solutions

<u>Goa</u>

Nestle P&G

Delhi Sona Fuji Kiko Delhi Ishan System Anand Vihar, Delhi

CIN - U31909 PN2003 PTC01 7985

Gaziyabad

Pathankot

Goa Goa

"Laukik", 870, Bhandarkar Road, Pune 411 004, India, Tel: +91 20 2567 5530/6107 email: <u>sales@danidatasystems.com</u>, website: www.danidatasystems.com



<u>Karnataka</u>

Grasim Industries Grasim Industries Hotel Radison Net Solutions Reckon Industrial Solutions Indian Oil Corp. Ltd. Taj Gateway Hotel Harihar, Karnataka Haveri, Karnataka Mysore, Karnataka Belgaum, Karnataka Tumkur, Karnataka Belgaum Bengaluru

Andhra Pradesh

Hydarabad Pigments

Mahbubnagar, Andhra Pradesh

Madhya Pradesh

Suyash Engineering (BPCL) Sasan Power Ltd. Indore, MP Siddhikhurd, Singrauli

<u>Tamil Nadu</u>

BASF BPCL Bavani Security & Night Patrol Pvt. Ltd. EPMS Property Services Inidan Oil Corp. Ltd. Inarch Infra Projects Pvt. Ltd.

<u>Telangana</u>

DR.Reddy's Lab Galaxy Pigment Chennai, Tamil Nadu Tuticorin, Tamil Nadu Chennai, Tamil Nadu Kelambakkam, Tamil Nadu Coimbatore Madurai

Medak, Telangana Hyderabad, Telangana

<u>Himachal Pradesh</u>

DR.Reddy's LAB

Solan, Himachal Pradesh

"Laukik", 870, Bhandarkar Road, Pune 411 004, India, Tel: +91 20 2567 5530/6107 email: <u>sales@danidatasystems.com</u>, website: www.danidatasystems.com



<u>Kerala</u>

Stohos Business Technologies

Cochin, Kerala

<u>Rajasthan</u>

Fairmount Hotels

Jaipur, Rajasthan

<u>Tripura</u>

Ramakrishna Mission

Tripura

| | Customer Feedback Report | | | | | | |
|-------|---------------------------------------|-------------------------------|--------------|-------------|---------------------------------|----------------------|--|
| | GUARD TOUR MONIT | ORING S | YSTEM | | Your Access to Innovative Ideas | | |
| | Company Name | | | | KRIBHCO | | |
| | Place | | | | SURAT | | |
| | PRODUCT: GTMS 140609 | 100 | Colour | BLUE RED | Delete not | applicable | |
| Sr No | Descrition | Performance | | | | | |
| | | Print 'X' to mark performance | | | SUGGESTI | ONS IF ANY | |
| | | Poor | Satisfactory | Excelent | | | |
| | Apperance | | | | | | |
| | Overall Looks | | | x | | | |
| | size | | | x | | | |
| | Colour | | | x | | | |
| | Weight of reader | | | x | | | |
| | Technical | | | | | | |
| | Display | | | x | | | |
| | On/ Off Switch | | | x | | | |
| | Key switchs | | | x | | | |
| | Interface USB | | | x | | | |
| | Charger connection | | | x | | | |
| | Battery backup | | | x | | | |
| | Card reading | | | | | | |
| | Parameters | | | | | | |
| | No of Tour Stations | | | | | cret | |
| | Avarage number of Stations/ Tour | | | | | cret | |
| | No of Guards | | | | | cret | |
| | Guard wise Tour | | | | | cret | |
| | Records per day ? | | | | Sec | cret | |
| | Time between recharge | | | | | | |
| | Damage due to dropping | | | | Once and replaced wit | h new one on payment | |
| | Card/ Tour Station Reading problem | | | | N | lil | |
| | Problem connecting USB cable | | | | N | lil | |
| | Prolem Transfering Data to PC | | | | N | lil | |
| | Software features | | | | N | A | |
| | OTHERS | | | | | A | |
| | Mana | | | | Amar Prakash | | |
| | Name Designation | | DCSO | | | | |
| | Designation Date | 14-02-2015 | | | | | |

| | | C | Customer | ⁻ Feedb | ack Report | nns® |
|-------|---------------------------------------|-------------------------------|--------------|--------------------|--------------------------|---------------------------------|
| | GUARD TOUR MONIT | ORING S | YSTEM | | | Your Access to Innovative Ideas |
| | Company Name | | | INDUS ⁻ | FRIAL TECHNOLOGII | ES |
| | Place | | | | VNAGAR - GUJARAT | |
| | PRODUCT: GTMS 140609 | 100 | Colour | Delete not a | | |
| | PRODUCT. G1W3 140009 | 100 | Colour | RED | | oplicable |
| Sr No | Descrition | Performance | | | | |
| | | Print 'X' to mark performance | | | SUGGESTIONS IF ANY | |
| | | Poor | Satisfactory | Excelent | | |
| | Apperance | | | | | |
| | Overall Looks | | Х | | | |
| | size | | Х | | | |
| | Colour | | Х | | | |
| | Weight of reader | | | Х | | |
| | Technical | | | | | |
| | Display | | Х | | | |
| | On/ Off Switch | | Х | | | |
| | Key switchs | | Х | | | |
| | Interface USB | | Х | | | |
| | Charger connection | | Х | | | |
| | Battery backup | | Х | | | |
| | Card reading | | Х | | | |
| | Parameters | | | | | |
| | No of Tour Stations | | Х | | | |
| | Avarage number of Stations/ Tour | | Х | | | |
| | No of Guards | | Х | | | |
| | Guard wise Tour | | Х | | | |
| | Records per day ? | | Х | | | |
| | Time between recharge | | Х | | | |
| | Damage due to dropping | | Х | | | |
| | Card/ Tour Station Reading problem | | x | | | |
| | Problem connecting USB cable | | x | | | |
| | Prolem Transfering Data to PC | | х | | | |
| | Software features | | Х | | | |
| | OTHERS | | | | | |
| | Nome | | | | DAKSH R DAVE | |
| | Name Designation | | | | FACTORY IN CHARGE | |
| | Designation Date | 07-02-2015 | | | | |

| | | C | Customer | Feedba | ack Report | nne | |
|-------|---------------------------------------|-------------------------------|--------------|-------------|-----------------------|---------------------------------|--|
| | GUARD TOUR MONIT | | YSTEM | | | Your Access to Innovative Ideas | |
| | Company Name | | | Ra | makrishna Mission | | |
| | Place | | | | | | |
| | Place | Agartala | | | | | |
| | PRODUCT: GTMS 140609 | 100 | Colour | BLUE RED | Delete not a | pplicable | |
| Sr No | Descrition | Performance | | | | | |
| | | Print 'X' to mark performance | | | SUGGESTIO | NS IF ANY | |
| | | Poor | Satisfactory | Excelent | | | |
| | Apperance | | | | | | |
| | Overall Looks | | * | | | | |
| | size | | | * | | | |
| | Colour | | * | | | | |
| | Weight of reader | | * | | | | |
| | | | | | | | |
| | Technical | | | | | | |
| | Display | | | * | | | |
| | On/ Off Switch | | * | | | | |
| | Key switchs | | * | | | | |
| | Interface USB | | * | | | | |
| | Charger connection | | * | | | | |
| | Battery backup | | * | | | | |
| | Card reading | | * | | | | |
| | | | | | | | |
| | Parameters | | | | | | |
| | No of Tour Stations | | | * | | | |
| | Avarage number of Stations/ Tour | | | * | | | |
| | No of Guards | | | * | | | |
| | Guard wise Tour | | | * | | | |
| | Records per day ? | | | * | | | |
| | Time between recharge | | * | | | | |
| | Damage due to dropping | | * | | | | |
| | Card/ Tour Station Reading problem | | * | | | | |
| | Problem connecting USB cable | | * | | | | |
| | Prolem Transfering Data to PC | | * | | | | |
| | Software features | | * | | | | |
| | OTHERS | | | | | | |
| | Name | | | | Swami Atmavikasananda | | |
| | Designation | Principal | | | | | |
| | Date | 06.02.2015 | | | | | |





GTMS Kit

DDS is leading manufacturer of RFID devices in India.

We design, develops and manufactures RFID hardware products for short and long-range wireless identification technology.

Our devices are field-proven and have been in operation since 2002

www.danidatasystems.com

Email: sales@danidatasystems.com

Guard Tour Monitoring Reader

The GTR- 140609 is RFID Reader designed for monitoring presence, documenting events and reporting activity of security guards, maintenance, House Keeping staff and Police. On touching the TOUR Station (yellow card) fixed at predefined check points with the reader, presence of guard/ staff is recorded with date time. Selecting the event from the pop up menu appropriate message is documented.

SPECIFICATIONS

| Product Name | Guard Tour Reader | | | | |
|-----------------------|--|--|--|--|--|
| DDS part no. | GTR 140609100 | | | | |
| Environmental | | | | | |
| Operating Temp | -20° C - +55° C | | | | |
| Storage Temp | -20° C - +55° C | | | | |
| Damp Heat | 40 ^o C, 95% RH | | | | |
| Drop & Topple Survive | Drop & Topple on each of top & bottom corners and faces | | | | |
| PHYSICAL | | | | | |
| Display | 16x2 Backlit wide angle LCD | | | | |
| Indication | Audio Visual | | | | |
| Buffer Capacity | 4032 records | | | | |
| Number of Keys | 3 Keys | | | | |
| Communication | USB 2.0 | | | | |
| Power Supply | Li-ion battery, 7.4V 1200 mAH | | | | |
| Charger | External power charger | | | | |
| Time for full charge | 1.5 hours for full charge after full discharged | | | | |
| Read Range | 40 ~ 50 mm | | | | |
| Frequency | 13.56 MHZ | | | | |
| Tour Station Tags | Passive RFID Tag sealed in ABS enclosure | | | | |
| Guard ID | Passive RFID Card without printing | | | | |
| Size | 175 x 95 x 35 mm | | | | |
| Weight | 300 gm | | | | |
| Color | Dual Tone Black and White | | | | |
| NHY BUY THIS READER? | | | | | |

WHY BUY THIS READER?

MAKE IN INDIA

BIS certified

Records presence, documents events & reporting Upgradable to SAS, without SIM card, Login from your Mobile browser Simple cost effective

RFID HF

CUSTOM APP

RFID UHF



Udyog Aadhar No- MH26A0064938 CIN - U31909 PN2003 PTC01 7985 GSTIN - 27AABCD8023C1Z3



SPECIFICATIONS



HF RFID

Hand Held Reader with USB & GPRS

Applications

Asset Tracking Guard Tour Monitoring Portable attendance Classroom attendance School bus monitoring Event management



| Product Name | Hand Held Reader | | | |
|-----------------------|---|--|--|--|
| DDS part no. | HHR 150617XXX Version | | | |
| | Product Identifier | | | |
| <u>Environmental</u> | | | | |
| Operating Temp | -20 [°] C - +55 [°] C | | | |
| Storage Temp | $\frac{-20^{\circ} \text{ C}^{\circ} + 35^{\circ} \text{ C}}{-20^{\circ} \text{ C}^{\circ} + 55^{\circ} \text{ C}}$ | | | |
| Damp Heat | 40° C, 95% RH | | | |
| Drop & Topple Survive | Drop & Topple on each of top & bottom corners and faces | | | |
| Free Fall Test | from 1000 mm height | | | |
| PHYSICAL | ¥ | | | |
| | | | | |
| Display | 16x2 Backlit wide angle LCD | | | |
| Indicator | Audio Visual | | | |
| Buffer Capacity | 2687 records | | | |
| Number of Keys | 15 Keys (Alpha numeric) | | | |
| Communication | USB 2.0 / GPRS optional | | | |
| Power Supply | Li-ion battery, 7.4V 1000mAH | | | |
| Charger | External power charger | | | |
| Time for full charge | 5 hours for full charge after full discharged | | | |
| Read Range | $40 \sim 50 \text{ mm}$ | | | |
| Frequency | 13.56 MHZ | | | |
| Read/ Write | Suitable for passive RFID/ NFC | | | |
| | Transponder (Mifare Family) | | | |
| Size | 110 x 180 x 40 mm | | | |
| Weight | 300 gm | | | |
| Color | Dual Color white and Black (subject to availability) | | | |